

2021 DESIGNS



ALL NEW
WOOD LARCH RANGE

pages. 6-9



3D premium Collection

Larch

06-09

At the end of a long developing process, we reached a unique design that offers a real challenge to natural wood. Through a complex printing and embossing process we produced a liner that blends right into the Look & Feel of the most upscale swimming pools.



Larch Fresco



Larch Nature

Stone Flex

10-23

Our exclusive range of StoneFlex designs makes it possible to build or renovate a pool using a water-tight membrane with a 3D surface that looks & feels like real stone.



StoneFlex Ivory



StoneFlex Slate



StoneFlex Royal



StoneFlex Bazelet



StoneFlex Sand



StoneFlex Pearl



StoneFlex Concrete

Matrix Silver | Blue | Dune

24-29

Our stunning Matrix designs can give a pool the look and feel of real mosaic tiles while providing unparalleled impermeability of leak-free performance.



Silver



Blue




Dune

Printed range Next generation

Our next generation of printed and lacquered designs features enhanced lacquer-coating properties, increased UV resistance and color fastness, improved image depth, and fresh range of visual motifs.

Pacific


30-31



Pacific

Snapir Blue | Gold

32-33



Snapir Blue



Snapir Gold

Cool Sparks & Galit NG

34-35



Cool Sparks



Galit NG

Granit

36-37



Granit NG 1




Granit NG 2

Elva Flex

48-49


Phthalate free formulation designed for extreme resistance to enhanced U.V. conditions as well as unique chemical-contact durability. ElvaFlex is the ultimate solution for complex water seal projects & public pools. With proper care and maintenance, ElvaFlex will last practically the lifetime of the pool.



Light Grey 9135



Sand 3152



White 2028



Antislip
(available in all colors)



Blue 8283




Light Blue 8286

Classic Range


38-46




Antislip (All Unicolor & Printed designs)




Light Grey 9135



Light Blue 8286



White 2028



Dark grey 9133




Navy Blue 8287




Blue 8283



Sand 3152



Light Green 8039



Black 9902

10 Reasons to Choose Haogenplast Pool Liners

1. Excellent Resistance to Microbial Growth.
2. U.V Stability & Color-Fastness.
3. Hot-Air Welding Strength.
4. Excellent Abrasion Resistance.
5. Resistance to Super-Chlorination.
6. Superior Lacquered Liners.
7. Superior Quality Assurance Processes.
8. ElvaFlex - Premium solutions: Extreme Lifespan & Durability to Chemicals.
9. StoneFlex Range & TileFlex Range - premium designs, enhanced acrylic coating properties.
10. Matrix Range - 3D mosaic tile design.



Our app allows you to see our collection of liners in beautiful images, breathtaking video clips and even see your pool in virtual reality mode, through a virtual reality head-set on your phone.

Go to your google play or App store and download the app to your phone.

Tell your customers to download the App to help them better chose the right liner for there swimming pool.



haogenplast app



A Larch Fresco woodpecker is perched on a wooden railing, looking down towards a swimming pool. The bird has a distinctive red crest and a long, pointed beak. The background shows a blurred outdoor setting with green foliage and a white structure.

Larch Fresco

**SO REAL....
EVEN MOTHER
NATURE GETS
CONFUSED**



What if you could choose your pool design from a new and innovative world of possibilities?

Well, now you can!

We are glad to introduce you to our latest wood designs made for swimming pools.

At the end of a long developing process, we reached a unique design that offers a real challenge to natural wood. Through a complex printing and embossing process we produced a liner that

blends right into the Look & Feel of the most up-scale swimming pools.

Quality, of course, is kept at the highest standard possible.

So, in your next project ask yourself: Will the Larch Range make this pool beautiful, special and unique?

We are sure it will.

12 YEARS Waterproofing	32°C Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓
----------------------------------	----------------------	------------------------------------	---	--------------------------------------



A high-angle photograph of a wooden deck overlooking a swimming pool. The pool's deck is painted a vibrant green, while the surrounding deck is made of natural wood planks. A small, light-colored object, possibly a pool cover or a piece of furniture, is visible in the upper left corner. The water in the pool is clear and blue, with some white foam visible in the bottom right corner. A white rectangular box is superimposed over the green deck area, containing the text 'Larch Nature'.

Larch Nature



12 YEARS Waterproofing	32°c Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓
----------------------------------	----------------------	------------------------------------	---	--------------------------------------





Stone
Flex
Ivory

Our exclusive range of StoneFlex designs makes it possible to build or renovate a pool using a water-tight membrane with a 3D surface that looks like real stone. StoneFlex membranes are formulated with an enhanced surface coating which ensures superior stain resistance, easy cleaning, and exceptional UV resistance, as well as a dry-stone feel and non-slip grip.

StoneFlex surfaces are covered with 6 layers of protective acrylic coating and have a B slip-resistance rating.

15 YEARS Waterproofing	35°c Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness
NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓	Antislip Proprietiesties YES ✓	






Stone
Flex
Slate



15 YEARS Waterproofing	35°C Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓	Antislip Proprieties YES ✓
----------------------------------	----------------------	------------------------------------	---	--------------------------------------	---	--





Stone
Flex
Concrete



Our exclusive range of StoneFlex designs makes it possible to build or renovate a pool using a water-tight membrane with a 3D surface that looks like real stone. StoneFlex membranes are formulated with an enhanced surface coating which ensures superior stain resistance, easy cleaning, and exceptional UV resistance, as well as a dry-stone feel and non-slip grip.

StoneFlex surfaces are covered with 6 layers of protective acrylic coating and have a B slip-resistance rating.

15 YEARS Waterproofing	35°C Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓	Antislip Properties YES ✓
----------------------------------	----------------------	------------------------------------	--	----------------------------	---	-------------------------------------





Stone Flex Bazelet





15 YEARS Waterproofing	35°c Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓	Antislip Properties YES ✓
----------------------------------	----------------------	------------------------------------	---	--------------------------------------	--	---




A high-angle photograph of a swimming pool. The pool's edge is finished with light-colored, square tiles. A white, circular float is visible in the upper left corner of the pool. The water is a clear, vibrant blue. A white rectangular box is superimposed over the center of the pool, containing the text 'Stone Flex Sand' in white, sans-serif font.

Stone Flex Sand



15 YEARS Waterproofing	35°C Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓	Antislip Proprietesities YES ✓
----------------------------------	----------------------	------------------------------------	---	----------------------------	--	---






Stone Flex Pearl



15 YEARS Waterproofing	35°C Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓	Antislip Propertiesties YES ✓
----------------------------------	----------------------	------------------------------------	---	--------------------------------------	--	---





Stone
Flex
Royal



15 YEARS Waterproofing	35°C Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓	Antislip Properties YES ✓
----------------------------------	----------------------	------------------------------------	---	-----------------------------------	---	--





Matrix **Silver**

Our stunning Matrix designs can give a pool the look and feel of real mosaic tiles while providing unparalleled impermeability of leak-free performance.

Our Matrix line includes a pearl and silver layer which produces a dynamic prismatic effect similar to the shine of real glazed mosaic tiles.

Matrix surfaces and the grout in their grooves are protected with an enhanced acrylic coating which provides superior stain resistance and makes them easy to clean.




12 YEARS Waterproofing	34°c Temp.	5 YEARS Stain Resistance
5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓	Antislip Proprietiesties YES ✓





Matrix **Blue**



12 YEARS Waterproofing	34^oC Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓	Antislip Proprietesities YES ✓
----------------------------------	---------------------------------	------------------------------------	---	--------------------------------------	--





Matrix Dune



12 YEARS

Waterproofing

34°C

Temp.

5 YEARS

Stain Resistance

5 YEARS


Chlorine
Lightfastness

NF
15836-2

YES ✓

Antislip
Propertiesties

YES ✓





Printed
Range
Pacific



Pacific, Snapir&Cool Sparks

Our next generation of printed and lacquered designs features enhanced lacquer-coating properties, increased UV resistance and color fastness, improved image depth, and fresh range of visual motifs.


12 YEARS
Waterproofing

34°
Temp.

5 YEARS
Stain Resistance


5 YEARS
Chlorine
Lightfastness

NF
15836-2
YES ✓





Printed
Range
Snapir
Blue & Gold



Snapir Blue

Snapir Gold



12 YEARS Waterproofing	34°c Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓
----------------------------------	----------------------	------------------------------------	---	--------------------------------------






Printed
Range
**Cool Sparks
& Galit NG**




Cool Sparks

Galit NG



12 YEARS Waterproofing	34°c Temp.	5 YEARS Stain Resistance	5 YEARS Chlorine Lightfastness	NF 15836-2 YES ✓
----------------------------------	----------------------	------------------------------------	---	--------------------------------------





Printed
Range
Granit



Granit NG 1


Granit NG 2



<p>12 YEARS Waterproofing</p>	<p>34°c Temp.</p>	<p>5 YEARS Stain Resistance</p>	<p>5 YEARS Chlorine Lightfastness</p>	<p>NF 15836-2 YES ✓</p>
--	------------------------------	--	--	--



Classic Light Blue 8286




10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓
-------------------------------------	---------------------	--------------------------------------	---

Classic Light Green 8039




10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓
-------------------------------------	---------------------	--------------------------------------	---

Classic Black₉₉₀₂



10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓
-------------------------------------	---------------------	--------------------------------------	---

Classic White 2028



10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓
-------------------------------------	---------------------	--------------------------------------	---

Classic Blue 8283




10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓
-------------------------------------	---------------------	--------------------------------------	---

Classic Navy Blue 8287




10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓
-------------------------------------	---------------------	--------------------------------------	---

Classic Light Grey 9135



10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓
-------------------------------------	---------------------	--------------------------------------	---

Classic Sand³¹⁵²



10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓
-------------------------------------	---------------------	--------------------------------------	---

Classic Dark Grey 9133



10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓	CERTIFICATION Public Pools YES ✓
-------------------------------------	---------------------	--------------------------------------	---

Natural Pools

These ecologically sensitive swimming pools are an ideal complement to modern architecture and garden spaces, and provide a safe environment for children and pets.



Eco green 7219



Dark grey 9133



10 YEARS Waterproofing	32° Temp.	NF 15836-2 YES ✓
-------------------------------------	---------------------	--------------------------------------

ElvaFlex

Translations pages 8-9

ElvaFlex's uniquely durable, phthalate-free formula was designed for extreme resistance to intense UV radiation, severe weather conditions, and corrosive chemicals.

ElvaFlex is the ultimate solution for large-scale water parks, public pools, natural pools and specialized mineral pools, hot tubs, and other aquatic facilities.

With proper care and maintenance, ElvaFlex will maintain its integrity, including its flexibility, throughout the lifespan of almost any pool.


ElvaFlex's unique formulation eliminates almost any type of migration from the PVC membrane into the surrounding water, and thus it outperforms any other water-seal solution, in both extremely hot and extremely cold weather conditions.

Over the last 30 years, ElvaFlex's

Elva Flex



Light Blue



Light Grey 9135



Sand 3152



White 2028



Antislip (available in all colors)



Blue 8283



Light Blue 8286



Light Grey

Elva Flex



Elva Flex



Light Grey



remarkable performance has been documented at numerous water parks, public pools, and natural pools. For decades now, its unique durability, color-stability, and flexibility have been demonstrated again and again, even in extreme conditions.

ElvaFlex's long-term resistance to high concentrations of chlorine and other corrosive chemicals—including sunblock, suntan lotions, and other personal-care products that may accumulate in public bodies of water during busy seasons—keeps pools water-tight even under the harshest conditions, such as intense UV radiation and extreme heat.

ElvaFlex membranes are perfect for hot tubs and hydrotherapy pools. Their unique durability and unparalleled resistance to the corrosive effects of water, heat, and therapeutic chemicals make them an ideal long-term water-seal solution.



Unicolor Blue



Light Blue



20 YEARS
Waterproofing

37°C
Temp.

5 YEARS
Stain Resistance

5 YEARS
Chlorine
Lightfastness

NF
15836-2
YES ✓

CERTIFICATION
Public Pools
YES ✓

Phthalate
Free
YES ✓

ElvaFlex

Translations



ElvaFlex est une membrane particulièrement durable, sans phtalates, conçue pour offrir une résistance extrême aux ultraviolets intenses, aux conditions climatiques extrêmes et aux produits chimiques corrosifs.

ElvaFlex est la solution optimale pour les parcs aquatiques de grande surface, les piscines publiques, les piscines naturelles, les piscines minérales spécialisées, les bains-a remous et autres installations aquatiques.

Avec un entretien et une maintenance appropriés, ElvaFlex maintiendra ses propriétés, y compris sa flexibilité, tout au long de la durée de vie de presque toutes les piscines.

La formule unique d'ElvaFlex élimine pratiquement tout type de migration du PVC de la membrane dans l'eau environnante et surpasse ainsi toute autre solution d'étanchéité, même dans des conditions climatiques extrêmes aussi bien chaudes que froides.

La performance remarquable d'ElvaFlex a été documentée pendant les 30 dernières années dans de nombreux parcs aquatiques, piscines publiques et piscines naturelles. Depuis des dizaines d'années, la durabilité unique, la stabilité des couleurs et la flexibilité d'ElvaFlex ont été démontrées encore et encore, même dans des conditions climatiques extrêmes.

La résistance à long terme d'ElvaFlex aux fortes concentrations de chlore et d'autres produits chimiques corrosifs, notamment les écrans solaires, les crèmes de bronzage et autres produits de soins du corps susceptibles de s'accumuler dans les eaux publiques pendant les hautes saisons, assure le maintien de l'étanchéité de la piscine même dans les conditions les plus difficiles, telles que les rayonnements ultraviolets intenses et les grandes chaleurs.

Les membranes ElvaFlex sont idéales

pour les bains- a remous et les piscines d'hydrothérapie. Leur durabilité unique et leur résistance sans précédent aux effets corrosifs de l'eau, de la chaleur et des produits chimiques thérapeutiques en font une solution idéale d'étanchéité à long terme.



La formula senza ftalati, straordinariamente resistente di ElvaFlex è stata progettata per una maggiore resistenza a intensi raggi UV, condizioni del tempo molte avverse e prodotti chimici altamente corrosivi.

ElvaFlex è la soluzione migliore per parchi acquatici di grandi dimensioni, piscine pubbliche, piscine naturali e piscine minerali specializzate, vasche idromassaggio, e altre strutture acquatiche.

Con una corretta cura e manutenzione, ElvaFlex conserverà la sua integrità, compresa la sua elasticità per tutto il ciclo della sua durata.

La formulazione unica di ElvaFlex elimina quasi ogni tipo di migrazione dalla membrana di PVC all'acqua circostante, e di conseguenza ha prestazioni migliori di ogni altra soluzione per tenuta d'acqua, sia a temperature estremamente alte che a temperature estremamente basse.

Nel corso degli ultimi 30 anni, le prestazioni straordinarie di ElvaFlex sono state documentate presso numerosi parchi acquatici, piscine pubbliche e piscine naturali. Nel corso di decenni ormai, la sua resistenza, stabilità del colore ed elasticità unici sono stati dimostrati ripetutamente, anche in condizioni estreme.

La resistenza di lunga durata di ElvaFlex ad alte concentrazioni di cloro e altri prodotti chimici corrosivi – compresa crema solare ad alta protezione, lozioni abbronzanti, e altri prodotti per la cura personale che possono accumularsi in strutture pubbliche durante le stagioni in cui le pi-

scine sono affollate – assicura la tenuta stagna delle piscine, anche nelle condizioni più sfavorevoli come ad esempio intense radiazioni ultraviolette e caldo estremo.

Le membrane ElvaFlex sono perfette per vasche idromassaggio e piscine per idroterapia. La loro speciale resistenza senza pari agli effetti corrosivi di acqua, calore e prodotti chimici terapeutici le rendono una soluzione ideale e duratura a tenuta d'acqua.



La singularmente durable fórmula libre de ftalato del ElvaFlex ha sido diseñada para ofrecer extrema resistencia a intensa radiación UV, severas condiciones climáticas y a químicos corrosivos.

ElvaFlex es la solución definitiva para parques acuáticos a gran tamaño, piscinas públicas, piscinas naturales y piscinas de minerales especializados, jacuzzis y otras instalaciones acuáticas.

Con el cuidado y el mantenimiento adecuados, ElvaFlex mantendrá su integridad incluyendo la flexibilidad, a lo largo de la vida útil de prácticamente toda piscina.

La exclusiva composición de la fórmula de ElvaFlex elimina casi a todo tipo de migración de la membrana del PVC al agua circundante y, por lo tanto, supera a toda otra solución de impermeabilización, tanto en condiciones de clima extremadamente calurosas como extremadamente frías.

Durante los últimos 30 años ha sido documentado el notable rendimiento de ElvaFlex en numerosos parques acuáticos, piscinas públicas y piscinas naturales. Desde hace décadas que una y otra vez demuestra su singular durabilidad, estabilidad de color y flexibilidad, incluso en condiciones extremas.

La resistencia a largo plazo de ElvaFlex a altas concentraciones de cloro y de otros productos químicos corrosivos, incluyendo bloqueadores solares, lociones bronceadoras y otros productos de cuidado personal que durante las temporadas altas pueden acumularse en el agua de piscinas públicas, hace que se mantenga la impermeabilidad en las piscinas incluso en las condiciones más duras, tales como radiación UV intensa y calor extremo.

Las membranas de ElvaFlex son perfectas para jacuzzis y otras piscina de uso terapéutico. Su singular durabilidad e incomparable resistencia a los efectos corrosivos del agua, el calor y los agentes químicos terapéuticos convierten a ElvaFlex en una solución de estanqueidad ideal a largo plazo.





A fórmula exclusivamente elástica e sem ftalatos da ElvaFlex foi projetada para extrema resistência à radiação UV

intensa, condições climáticas severas e produtos químicos corrosivos.

ElvaFlex é a solução definitiva para parques aquáticos em grande escala, piscinas públicas, piscinas naturais e piscinas termais especializadas, banheiras de hidromassagem e outras instalações aquáticas.

Com os devidos cuidados e manutenção, a ElvaFlex manterá sua integridade, incluindo a sua flexibilidade, durante toda a vida útil de praticamente qualquer piscina.

A composição exclusiva da ElvaFlex elimina praticamente qualquer tipo de migração da membrana de PVC para a água circundante e, portanto, supera qualquer outra solução de isolamento, em condições climáticas extremamente quentes e extremamente frias.

Nos últimos 30 anos, o notável desempenho da ElvaFlex foi documentado em inúmeros parques aquáticos, piscinas públicas e piscinas naturais. Por décadas, a sua durabilidade única, estabilidade de cor e flexibilidade foram demonstradas repetidas vezes, mesmo em condições extremas.

A resistência de longo prazo da ElvaFlex a altas concentrações de cloro e outros produtos químicos corrosivos - incluindo protetor solar, loções bronzeadoras e outros produtos de higiene pessoal que podem acumular-se durante as épocas movimentadas - mantém as piscinas impermeáveis mesmo sob as condições mais severas como intensa radiação UV e calor extremo.

As membranas ElvaFlex são perfeitas para banheiras de hidromassagem e piscinas de hidroterapia. A sua durabilidade única e resistência inigualável aos efeitos corrosivos da água, do calor e dos produtos químicos terapêuticos fazem deles uma solução ideal para um revestimento a longo prazo.



Die einzigartig haltbare, phthalatfreie Formel von ElvaFlex wurde für extreme Beständigkeit

gegen intensive UV-Strahlung, schwierige Witterungsbedingungen und zerstörende Chemikalien entwickelt.

ElvaFlex ist die ultimative Lösung für große Wasserparks, öffentliche Bäder, Freibäder und spezielle Mineralwasserbäder, Whirlpools und andere Wasseranlagen.

Bei richtiger Pflege und Wartung behält ElvaFlex seine Integrität und Flexibilität während der gesamten Lebensdauer eines Badebeckens bei.

Die einzigartige Formulierung von ElvaFlex verhindert nahezu jede Art der Herauslösung von Stoffen aus der PVC-Membrane in das umgebende Wasser und übertrifft somit jede andere Abdichtungslösung, sowohl bei extrem heißen als auch bei extrem kalten Wetterbedingungen.

In den letzten 30 Jahren wurde die bemerkenswerte Leistung von ElvaFlex in zahlreichen Wasserparks, öffentliche Bäder und Freibäder unter Beweis gestellt. ElvaFlex's einzigartige Haltbarkeit, Farbstabilität und Flexibilität haben sich seit Jahrzehnten auch unter extremen Bedingungen immer wieder bewährt.

Die langfristige Haltbarkeit von ElvaFlex gegen hohe Konzentrationen von Chlor und anderen ätzenden Chemikalien - einschließlich Sonnenschutzcremes und anderen Körperpflegeprodukten, die sich in der Hauptsaison in öffentlichen Gewässern ansammeln können - hält die Schwimmbecken auch unter schwierigsten Bedingungen, wie z.B. intensiver UV-Strahlung und extremer Hitze, wasserdicht.

ElvaFlex-Membranen eignen sich perfekt für Whirlpools und Hydrotherapie-Bäder. Ihre beispiellose Beständigkeit gegen die zerstörenden Wirkungen von Wasser, Wärme und therapeutischen Chemikalien machen sie zu einer idealen Lösung für die langfristige Versiegelung.



Надежный состав формулы ElvaFlex не содержит фталаты разработан специально

для устойчивости к интенсивному ультрафиолетовому излучению, жестким погодным условиям и вездливым химикатам

ElvaFlex является наилучшим решением для больших аквапарков, общественных бассейнов, естественных водоемов, термальных источников, гидромассажных ванн и других водных объектов.

При надлежащем уходе и обслуживании ElvaFlex сохранит свою целостность, включая гибкость, на протяжении всего срока службы практически любого бассейна.


Уникальная рецептура ElvaFlex исключает практически любое проникновение химических веществ из ПВХ-мембраны

в воду, и, таким образом, превосходит любую другую гидроизоляционную мембрану, как в чрезвычайно жарких, так и в чрезвычайно холодных погодных условиях.

За последние 30 лет, мембраны ElvaFlex хорошо зарекомендовали себя в многочисленных аквапарках, общественных бассейнах и природных водоемах, десятилетия сохраняя свои уникальные свойства цветостойкости и гибкости, демонстрируя их снова и снова.

Долгосрочное сопротивление ElvaFlex к высокой концентрации хлора и других вездливых химикатов, включая кремы, лосьоны для загара, и другие средства личной гигиены, которые могут накапливаться в общественных бассейнах во время длительных сезонов - актуально даже для самых жестких температурных условий и воздействия ультрафиолетового излучения.

Мембраны ElvaFlex прекрасно подходят для термальных источников и гидромассажных бассейнов. Их уникальная стойкость и несравненная сопротивляемость к вездливым влияниям воды, высоким температурам, и терапевтическим химикатам делают их идеально подходящими для долгосрочного использования в таких типах бассейнов.



haogenplast

Haogenplast is a global leader in the development, design, and manufacture of premium-quality pool linings. Having recently celebrated our 75th anniversary, we have earned an outstanding reputation for our extensive experience, technical expertise, advanced engineering capabilities, and the aesthetics of our decorative solutions.

Our recent major capital investments include

- an advanced 4-layer lamination unit
- and a state-of-the-art production line with wide-sheet calendaring designed to produce the most advanced, highest-quality pool liners.

With our dedicated, well-equipped, in-house R&D department and our commitment to the development of cutting-edge products, our team of brilliant scientists is always working hard to design the next generation of innovative solutions to meet our customers' needs.

Tel. 972-9-8980180/1

www.haogenplast.com

ogenexpo@haogenplast.com



in



f



haogenplast app



boolbaponi design | Text editing: vinczphilology.com

